



Supporting a loved one in recovery for a mental health condition



Suicide is a global phenomenon that affects people in all regions of the world. In fact, it is one of the leading causes of death worldwide and accounts for about one in every 100 deaths.¹ And, for each suicide, there are more than 20 suicide attempts.²

Mental health disorders are often linked to a person's suicidal thoughts or attempts. Globally, the World Health Organization (WHO) estimates 280 million people of all ages have depression, which is the leading cause of disability worldwide and a disorder that can lead to suicide.³ Depression and anxiety (also a risk for suicide) went up by more than 25% in the first year of the pandemic alone.⁴

But even though nearly one billion people globally have a mental health condition, seeking and receiving care too often poses a significant hurdle.⁵ Globally, relatively few people have access to quality mental health services, for example:

- The gaps in service coverage for depression are wide across all countries. Even in high-income countries, only one third of people with depression receive formal mental health care, and minimally adequate treatment for depression is estimated to range from 23% in high-income countries to 3% in low- and lower-middle-income countries.⁶
- Of those with psychosis worldwide, 71% do not receive mental health services.⁷
- In low- and middle-income countries, more than 75% of people with mental and substance use disorders receive no treatment for their condition.⁸

Stigma is another significant barrier. In fact, stigma, discrimination and human rights violations against people with mental health conditions are widespread in communities and care systems everywhere; 20 countries still criminalize attempted suicide.⁹

Yet, there is hope. Globally, international organizations like WHO and UNICEF, and many organizations on national levels, are raising awareness of mental health and wellness, and working to put more resources into place. Progress is being made.

In any case, with the right care plan and adherence to it, most people diagnosed with a mental illness can successfully function and live with their condition. A major contributing factor in their success is having the understanding and support of people who care about them.

Here are some ways you can do your part to help the people you care about with mental health conditions on their recovery journey:



Keep 'big picture' perspective

Recognize that mental health conditions can be situational (i.e., occurring during a time of uncertainty, crisis or life-altering event,) or chronic (i.e., a disorder that persists for three months or more.) Some people live with chronic mental illness throughout their lives. Also, an untreated situational mental health condition can become chronic mental illness.

In either case, mental health affects a person's emotional, psychological and social well being, and impacts how they think, feel and act. It also impacts how a person functions day to day, handles stress, relates to others, and makes decisions.¹⁰ As such, your loved one may act and/or react in ways that are difficult for you to understand or handle. If they are not already in care, encourage them to get help.

If available, they can consult with a professional mental health and/or medical provider who can help them with treatment. They also can reach out to an advocacy or support group organization that can help connect them to available resources or services.



Be patient with recovery

Determining the right diagnosis and treatment plan to serve the unique needs of an individual takes time – there is no “one size fits all,” including for people with the same condition. A complete evaluation conducted by a qualified mental health care provider is important as many different conditions can display similar signs or symptoms. In addition, it is important for the person to receive a full medical evaluation by a healthcare provider to ensure the symptoms are not related to a medical condition.

Depending on the mental health condition and the severity of the condition, the treatment plan will usually include self-help, psychotherapy, medication or a combination of remedies. To gain a better, fundamental understanding of the condition and what to expect, consider doing some background research using credible clinical sources and resources.

For your part, do your best to encourage your loved one to stick with the treatment plan. Understand that the recovery journey is an ongoing process with improvements and setbacks. Implementing the treatment plan will take some time, as the person goes through therapy to learn how to cope with and manage their condition, gets accustomed to their new way of being, and also adjusts to any medication being used. All you can do is your best for your loved one and yourself. Rest assured, your support does make a difference.



Be interested and respectful

Oftentimes, when someone learns they have a mental illness – whether situational or chronic – their self-esteem gets damaged, and needs to be nurtured. Check in with them and ask them how they’re doing. This will help them know you care about them. If they don’t want to talk about it, let them know that’s OK and you are there for them if and when they do.

If they do share, listen without judgment. Prepare yourself that it may be difficult for you to grasp what they’re going through, and they may make decisions about their treatment and recovery process that are different from ones you believe you would make in their situation. In other words, avoid stepping in with unsolicited advice or overstepping by trying to redirect their decisions or solve their problems.

Try to remember you are there to help them get through this, but not there to dictate their choices. Keep in mind, for the best treatment outcomes, it is important for the person to feel invested in and in control of (to the best of their ability) their own decisions and recovery process.



Focus on the person

Depending on the condition and its severity, the person you care about may not fully grasp how you’re trying to help them or what you’re going through. Still, do your very best to separate the condition from the person. While your loved one is learning to cope with having a mental illness, they themselves are not the mental illness. Do your best to be present and nurture their sense of self and personhood. Look for ways to be present and supportive without focusing on the condition, such as inviting them to go for a walk or to share a meal or something else you can both enjoy while spending time together. Also, let them feel your sense of personhood and camaraderie. Talk to them about things going on in your life, just as you would with any other friend or person you care about.



Take care of yourself

If you are the primary caregiver or very much relied on to be involved in the person’s recovery process, be sure to take care of yourself, too. Depending on your role, this can mean taking time for yourself, getting a good night’s sleep, eating nutritious foods and being physically active. If you are the person’s primary caregiver, think of ways you can help them become more self-sufficient, such as by having them set a calendar reminder or alarm for their next therapy appointment or to take their medication. Also, if and when possible, share the responsibility with other family members or support-network persons.



Find and keep reasons for hope

Mental health conditions can sometimes feel discouraging or overwhelming, maintaining hope is a critical part of the recovery process. For you and your loved one, it can be helpful to join a support group and hear the recovery stories of others. Doing so can help give you insight into what to expect and how others have coped with similar experiences during their recovery journeys.

Along this recovery journey, rest assured, there is hope. With the right care plan and adherence to it, most people diagnosed with a mental illness can successfully learn to live with their condition.



Sources:

1. World Health Organization. WHO highlights urgent need to transform mental health and mental health care.

[who.int/news/item/17-06-2022-who-highlights-urgent-need-to-transform-mental-health-and-mental-health-care](https://www.who.int/news/item/17-06-2022-who-highlights-urgent-need-to-transform-mental-health-and-mental-health-care)

Opens in a new window Last updated June 17, 2022. Accessed July 19, 2022.

2. World Health Organization. Suicide Prevention.

[who.int/health-topics/suicide](https://www.who.int/health-topics/suicide)

Opens in a new window Accessed July 21, 2022.

3. World Health Organization. Depression.

[who.int/news-room/fact-sheets/detail/depression](https://www.who.int/news-room/fact-sheets/detail/depression)

Opens in a new window Last update September 13, 2021. Accessed July 21, 2022.

4. World Health Organization. WHO highlights urgent need to transform mental health and mental health care.

[who.int/news/item/17-06-2022-who-highlights-urgent-need-to-transform-mental-health-and-mental-health-care](https://www.who.int/news/item/17-06-2022-who-highlights-urgent-need-to-transform-mental-health-and-mental-health-care)

Opens in a new window Last updated June 17, 2022. Accessed July 19, 2022.

5. Ibid.

6. Ibid.

7. Ibid.

8. World Health Organization. WHO Special Initiative for Mental Health.

[who.int/initiatives/who-special-initiative-for-mental-health](https://www.who.int/initiatives/who-special-initiative-for-mental-health)

Opens in a new window Accessed July 2022.

9. World Health Organization. WHO highlights urgent need to transform mental health and mental health care.

[who.int/news/item/17-06-2022-who-highlights-urgent-need-to-transform-mental-health-and-mental-health-care](https://www.who.int/news/item/17-06-2022-who-highlights-urgent-need-to-transform-mental-health-and-mental-health-care)

Opens in a new window Last updated June 17, 2022. Accessed July 19, 2022.

10. Mentalhealth.gov. What is mental health?

[mentalhealth.gov/basics/what-is-mental-health](https://www.mentalhealth.gov/basics/what-is-mental-health)

Opens in a new window Last updated February 28, 2022. Accessed July 18, 2022.

World Health Organization. Suicide.

[who.int/news-room/fact-sheets/detail/suicide](https://www.who.int/news-room/fact-sheets/detail/suicide)

Opens in a new window. Last updated June 17, 2021. Accessed July 19, 2022.

World Health Organization. Depression is common.[who.int/news-room/fact-sheets/detail/depression](https://www.who.int/news-room/fact-sheets/detail/depression)

Opens in a new window Last updated September 13, 2021. Accessed July 19, 2022.

World Health Organization. World Mental Health Day: an opportunity to kick-start a massive scale-up in investment in mental health.[who.int/news/item/27-08-2020-world-mental-health-day-an-opportunity-to-kick-start-a-massive-scale-up-in-investment-in-mental-health](https://www.who.int/news/item/27-08-2020-world-mental-health-day-an-opportunity-to-kick-start-a-massive-scale-up-in-investment-in-mental-health)

Opens in a new window Last updated August 27, 2020. Accessed July 18, 2022.

Rethink mental illness. Recovery.rethink.org/advice-and-information/living-with-mental-illness/treatment-and-support/recovery/

Opens in a new window Accessed July 15, 2022.

NAMI. Supporting recovery.nami.org/Your-Journey/Family-Members-and-Caregivers/Supporting-Recovery

Opens in a new window Accessed July 15, 2022.

NAMI. Treatments.nami.org/About-Mental-Illness/Treatments

Opens in a new window Accessed July 15, 2022.

Mind. Mental health problems – an introduction.mind.org.uk/information-support/types-of-mental-health-problems/mental-health-problems-introduction/recovery/

Opens in a new window Last updated October 2017. Accessed July 15, 2022.



If you have thoughts of hurting yourself or others — or you know someone having those thoughts — seek help right away. If you or someone you know is in immediate danger, call **999** — or go to the closest A&E (accident and emergency). To reach a trained crisis counsellor, call Samaritans at **116 123**. You may also text “**SHOUT**” to **85258** or chat at www.samaritans.org. The lifeline provides 24/7 free and confidential support.*

**Critical support when you need it**

Visit optumeap.com/criticalsupportcenter for additional critical support resources and information.

Optum

If you have thoughts of hurting yourself or others — or you know someone having those thoughts — seek help right away. If you or someone you know is in immediate danger, call 999 — or go to the closest A&E (accident and emergency). To reach a trained crisis counsellor, call Samaritans at 116 123. You may also text “Shout” to 85258 or chat online at www.samaritans.org. The lifeline provides 24/7 free and confidential support.*

*The Lifeline provides live crisis center phone services in English and Welsh and uses Language Line Solutions to provide translation services in over 250 additional languages for people who call 988.

This programme should not be used for emergency or urgent care needs. In an emergency, call 999 or go to the nearest A&E. This programme is not a substitute for a GP’s or professional’s care. Consult your GP for specific health care needs, treatment or medication. Due to the potential for a conflict of interest, legal consultation will not be provided on issues that may involve legal action against Optum or its affiliates, or any entity through which the caller is receiving these services directly or indirectly (e.g. employer or health plan). This programme and its components may not be available in all areas or for all group sizes and is subject to change. Coverage exclusions and limitations may apply.

Optum® is a registered trademark of Optum, Inc. in the U.S. and other jurisdictions. All other brand or product names are trademarks or registered marks or the property of their respective owners. Optum is an equal opportunity employer.

© 2023 Optum, Inc. All rights reserved. WF8463081 223388-092022 OHC